

CHEMATIC® 8700

DESCRIPTION

Chematic® 8700 is a concentrated, moderately alkaline liquid multipurpose cleaner. Chematic® 8700 is suitable for almost all routine maintenance cleaning as it effectively removes oils, dissolves grease and removes particulate soils from walls, floors, tools, parts, and other types of processing equipment. Chematic® 8700 is a highly concentrated detergent cleaner suitable for manual cleaning, immersion cleaning, and spray or steam cleaning.



ALKALINE

PHYSICAL PROPERTIES


Physical Form	Liquid	Specific Gravity at 68°F	1.020 - 1.035
Appearance	Light Amber	Foaming	Low Foaming @ Use Temperature
pH Use Solution	11.0	Typical Storage Temperature	50 °F - 120 °F

SUBSTRATE COMPATIBILITY

- Product is safe on stainless steel, glass, and most plastics and polymers.
- Product should be thoroughly rinsed off surfaces.
- Not recommended for soft metals.

Precautionary Statement: Please refer to the current Material Safety Data Sheet.

AVAILABLE IN




FOR ADDITIONAL INFORMATION, CONTACT CHEMATIC AT:

630.410.7300
chematic@dober.com
www.dober.com

CLEANING VALIDATION SUPPORT

HPLC, TOC, IMS and other methods are provided by the Dober Group. Validation consulting support ranging from complete project management to sampling and swabbing methodologies and assistance is available from our validation consulting group.

APPLICATIONS & USAGE



CIP COP Spray

Concentrations from 1%-10% v/v
Temperatures of 60°C–70°C



Manual

Concentrations from 0.5%-5% v/v
Temperatures of 20°C–50°C